Delhi Electricity Regulatory Commission Draft Notification

- In exercise of the powers conferred by Section 50 of the Electricity Act 2003, read with Sections 57, 86 and 181 of the Electricity Act, the Delhi Electricity Regulatory Commission hereby makes the following amendments in "Delhi Electricity Supply Code and Performance Standards Regulations, 2007" (hereinafter referred to as "the Principal Regulations"), as follows

1.0 Short title and commencement

- (1) These regulations may be called the Delhi Electricity Supply Code and Performance Standards (Second Amendment) Regulations, 2015.
- (2) These regulations shall come into effect from the date of their publication in the official Gazette.

2.0 Amendment of Regulation 30 of Principal Regulations:

The following shall be substituted at Clause (i) of Regulation 30 of the Principal Regulations namely:-

"For area developed and sponsored by development agencies like Delhi Development Authority, Municipal Corporation of Delhi, Public Works Department or private developers, the electrification shall be carried out by Licensee after charging 100% of cost towards EHT system, 50 % of Cost towards HT feeders, sub-station including civil works, LT feeders and 100% cost towards service line and street lights."

3.0 Amendment of Regulation 63 of Principal Regulations:

The Table 8 of clause (vi) of Regulation 63 of the Principal Regulations on 'Procedure for lodging complaint' shall be substituted as under:

Nature of cause of power	Maximum Time Limit for restoration
supply failure	
(i)Fuse blown out or MCB	Within three hours
tripped	
(ii)Service line broken,	Within three hours
Service line snapped from	
the pole	

Table 8

(iii)Fault in distribution mains,	Temporary Supply to be restored within one	
affecting more than 50	hour from alternate source.	
consumers,		
	Rectification of fault and thereafter	
	Restoration of normal power supply within	
	twelve hours	
(iv)Distribution transformer	Temporary Restoration of supply through	
failed/burnt, affecting more	mobile transformer or another backup source	
than 50 consumers,	within one hour.	
man so consomers,		
	Replacement of failed transformer within	
	forty-eight hours	
(v)HT mains failed, affecting	Temporary restoration of power supply within	
more than 50 consumers,	one hour.	
	Rectification of fault within twelve hours	
(vi)Problem in grid (33 kV or	Restoration of supply from alternate source,	
66 kV) substation, affecting	wherever feasible within one hour	
more than 50 consumers,	Roster load shedding may be carried out to	
	avoid overloading of alternate source.	
	Repair and restoration of supply within forty-	
	eight hours	
(vii)Failure of Power	Restoration of supply from alternate source,	
Transformer, affecting more	wherever feasible within one hour	
than 50 consumers,	Roster load shedding may be carried out to	
	avoid overloading of alternate source.	
	Replacement/rectification action to be	
	intimated to the Commission within seventy-	
	two hours and replacement /rectification of	
	power transformer within 20 days	
(viii)Scheduled Power	Shall not exceed 12 hours and the restoration	
Outages	of supply preferably by 6:00PM	
(ix)Load Shedding, affecting	Roster load shedding may be carried out to	
more than 50 consumers,	avoid overloading of alternate source and	
	the load shedding in a particular area shall	

	not exceed one hour in a stretch	
(x)Burnt meter	Restoration of supply either by bypassing the	
	burnt meter or installing the temporary meter	
	within three hours.	
	Replacement of burnt meter within three	
	days.	
(xi)Street light complaint	Restoration within seventy-two hours	

4.0 Amendment of Regulation 63 of Principal Regulations:

The following shall be added after clause (ix) of Regulation 63 of the Principal Regulations on 'Procedure for lodging complaint' shall be substituted as under:

- x. The details of scheduled Power Outages shall be informed in the manner as may be specified by the Commission from time to time.
- xi. The Public Grievances Cell (PGC) of GoNCTD shall be kept informed and keep a record of all unscheduled power cuts in Delhi and the extent of consumers affected by each power cut on the basis of complaints received from public or the Government or on its own.

5.0 Amendment of Schedule-I of Principal Regulations:

The clause 1 for 'restoration of Power Supply' of Schedule-I of the Principal Regulations on 'GUARANTEED STANDARDS OF PERFORMANCE' shall be substituted as under:

Nature of cause of power	Maximum Time Limit for restoration	
supply failure		
(i)Fuse blown out or MCB	Within three hours	
tripped		
(ii)Service line broken	Within three hours	
Service line snapped from		
the pole		
(iii)Fault in distribution mains	Temporary Supply to be restored within one	
affecting more than 50	hour from alternate source.	
consumers,		
	Rectification of fault and thereafter	
	Restoration of normal power supply within	
	twelve hours	
(iv)Distribution transformer	Temporary Restoration of supply through	
failed/burnt, affecting more	mobile transformer or another backup source	

than 50 consumers,	within one hour.	
	Replacement of failed transformer within	
	forty-eight hours	
(v)HT mains failed, affecting	Temporary restoration of power supply within	
more than 50 consumers,	one hour.	
	Rectification of fault within twelve hours	
(vi)Problem in grid (33 kV or	Restoration of supply from alternate source,	
66 kV) substation, affecting	wherever feasible within one hour	
more than 50 consumers,	Roster load shedding may be carried out to	
	avoid overloading of alternate source.	
	Repair and restoration of supply within forty-	
	eight hours	
(vii)Failure of Power	Restoration of supply from alternate source,	
Transformer, affecting more	wherever feasible within one hour	
than 50 consumers,	Roster load shedding may be carried out to	
	avoid overloading of alternate source.	
	Replacement/rectification action to be	
	intimated to the Commission within seventy-	
	two hours and replacement /rectification of	
	power transformer within 20 days	
(viii)Scheduled Power	Shall not exceed 12 hours and the restoration	
Outages	of supply preferably by 6:00PM	
(ix)Load Shedding, affecting	Roster load shedding may be carried out to	
more than 50 consumers,	avoid overloading of alternate source and	
	the load shedding in a particular area shall	
	not exceed one hour in a stretch	
(x)Burnt meter	Restoration of supply either by bypassing the	
	burnt meter or by installing the temporary	
	meter within three hours.	
	Replacement of burnt meter within three	
	days	

6.0 Amendment of Schedule-III of Principal Regulations:

The point no.5 on 'meter complaints' and the point no.6 'Power Supply failure' in the table of Schedule-III of the Principal Regulations on 'GUARANTEED STANDARDS OF PERFORMANCE AND COMPENSATION TO CONSUMERS IN CASE OF DEFAULT' shall be substituted as under:-

5. Meter Complaint	5	
(i) Testing of meter	Within fifteen days of receipt of complaint	Rs.25 for each day of default
(ii) Replacement	Restoration of supply within three	Rs. 100 per hour
of burnt meter	hours either by bypassing the burnt meter or by installing temporary meter.	per consumer
	Meter to be replaced within three days	-
(iii) Replacement	Within fifteen days of declaring	Rs.50 for each day
of defective meter	meter defective	of default
6. Power supply fail	ure	
(i)Fuse blown out or MCB tripped	Within three hours	Rs. 100 per hour per consumer
(ii)Service line broken Service line snapped from the pole	Within three hours	Rs. 100 per hour per consumer
(iii)Fault in	Temporary Supply to be restored	Rs. 50 per hour per
distribution mains,	within one hour from alternate	consumer for first
affecting more than 50 consumers,	source.	two hours of default thereafter Rs. 100 per hour per consumer
	Rectification of fault and thereafter Restoration of normal power supply within twelve hours.	-

(iv)Distribution transformer failed/burnt, affecting more than 50Temporary Restoration of supply through mobile transformer or another backup source within one hour.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(v) HT mains failed, affecting more than 50Temporary restoration of power supply within one hour.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumers,(v) HT mains failed, affecting more than 50Temporary restoration of power supply within one hour.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50Restoration of supply from carried out to avoid overloading of alternate source, wherever feasible within one hourRs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50Restoration of supply from carried out to avoid overloading of alternate source, wherever feasible within forty-eight hours.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50Restoration of supply from carried out to avoid overloading of alternate source, wherever feasible within one hour kestication action to be intimated to the Commission within seventy-two hours and replacement /rectification action to be intimated to the Commission within seventy-two hours and replacement-	(iv) Distribution	Tomporany Postoration of supply	Pa 50 par baur par
failed/burnt, affecting more than 50 consumers,another backup source within one hour.two hours of default thereafter Rs. 100 per hour per consumer(v) HT mains failed, affecting more than 50 consumers,Temporary restoration of power supply within one hour.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumers,(vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hourRs. 50 per hour per consumer(vii) Problem in grid (31 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source, wherever feasible within forty-eight hours.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever<	. ,		
affecting more than 50 consumers,one hour.default thereafter Rs. 100 per hour per consumer(V) HT mains failed, affecting more than 50 consumers,Temporary restoration of power supply within one hour.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(Vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from aftecting more thoursRs. 50 per hour per consumer(vi) Problem in grid (31 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from after and restoration of supply of alternate source, wherever feasible within one hour Repair and restoration of supply from affecting more than 50 consumers,Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Repair and restoration of supply of alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be		-	
than 50 consumers,Replacement of failed transformer within forty-eight hours.Rs. 100 per hour per consumer(v) HT mains failed, affecting more than 50 consumers,Temporary restoration of power supply within one hour.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50 (vii) Problem in grid (32 kV or 66 kV)Restoration of supply from alternate source, wherever feasible within one hourRs. 50 per hour per consumer for first two hours of alternate source, wherever feasible within one hour(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hourRs. 50 per hour per consumer(viii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading <b< td=""><td></td><td></td><td></td></b<>			
consumers,err consumerReplacement of failed transformer within forty-eight hours.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(v) HT mains failed, affecting more than 50 consumers,Temporary restoration of power supply within one hour.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from Restoration of supply from Restoration of supply from Restoration of supply from Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 1	0	one nour.	
Replacement of failed transformer within forty-eight hours(v) HT mains failed, affecting more than 50 consumers,Temporary restoration of power supply within one hour.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hourRs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source.Rs. 50 per hour per consumer(viii) Failure of Power			
within forty-eight hours.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vi) HT mains failed, affecting more than 50 consumers,Temporary restoration of power supply within one hour.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour affecting more of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Repair and restoration of supply within forty-eight hours.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(viii) Failure of consumers,Restoration of supply from alternate source, wherever feasible within one hour hours and replacement /rectification of power	consumers,		per consumer
(v) HT mains failed, affecting more than 50 consumers,Temporary restoration of power supply within one hour.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Restoration of supply from alternate source.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(viii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source.Rs. 50 per hour per consumer(viii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source.Rs. 50 per hour per consumer(viii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply trom alternate source.Rs. 50 per hour p			-
affecting more than 50 consumers,supply within one hour.consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(vii) Failure of consumers,Restoration of supply from alternate source.Rs. 100 per hour per consumer(viii) Failure of consumers,Restoration of overloading of alternate source(viii) Failure of consum		within forty-eight hours.	
affecting more than 50 consumers,supply within one hour.consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Repair and restoration of supply within forty-eight hours.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(viii) Failure of consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate sourceReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification o			
than 50 consumers,thur, itwo hours of default thereafter Rs. 100 per hour per consumerRectification of fault within twelve hoursRectification of fault within twelve hours-(vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Restoration of supply from alternate source, wherever feasible within forty-eight hours.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumerReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-			
consumers,default thereafter Rs. 100 per hour per consumerRectification of fault within twelve hours-Rectification of supply from (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from (alternate source, wherever feasible within one hour Roster load shedding may be of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from easter load shedding may be of alternate source, wherever alternate source, wherever consumerRs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from easter load shedding may be carried out to avoid overloading of alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from easter load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumerReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-	-	supply within one hour.	
Rs. 100 per hour per consumerRectification of fault within twelve hours-Rectification of supply from (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever alternate source, wherever alternate source, wherever consumerRs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of than 50 consumers,Restoration of supply from feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 100 per hour per consumerReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-			
Image: section of supply from substanceper consumer(vi) Problem in grid (33 kV or 66 kV)Restoration of supply from alternate source, wherever feasible within one hourRs. 50 per hour per consumer for first two hours of default thereafter(vi) Problem in grid (33 kV or 66 kV)Restoration of supply from alternate source, wherever feasible within one hourRs. 50 per hour per consumer for first two hours of default thereafter(vii) Failure of Power Transformer, affecting more than 50Restoration of supply from alternate source, wherever feasible within one hourRs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50Restoration of supply from alternate source, wherever feasible within one hourRs. 50 per hour per consumer for first two hours of default thereafter(vii) Failure of Power Transformer, affecting more than 50Restoration of supply from alternate source, wherever feasible within one hourRs. 50 per hour per consumer for first two hours of default thereafter(viii) Failure of Power Transformer, affecting more than 50Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 100 per hour per consumer(viii) Failure of Power stansformer, affecting more than 50Roster load shedding may be carried out to avoid overloading of alternate source.Power rout to avoid overloading of alternate source.(viii) Failure of Power stansformerReplacement/rectification action to be intimated to the communer-(viii) Failure of to be intimated to the communer(viii) form to be intimated to the communer(viii) form to be intimated to the communer(viii) f	consumers,		
Rectification of fault within twelve hours-(vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour two hours of atternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from feasible within one hour of alternate source.Rs. 50 per hour per consumer(viii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from feasible within one hour to be intimate source.Rs. 50 per hour per consumer for first two hours of default thereafter two hours of default thereafter two hours of default thereafter Rs. 100 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from feasible within one hour to alternate source, wherever consumer for first two hours of default thereafter Rs. 100 per hour per consumerReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-			
hoursNours(vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hour Roster load shedding may be of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from Restoration of supply from Restoration of supply from alternate source, wherever consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(viii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of verloading of alternate source.Rs. 50 per hour per consumer(viii) Failure of Power Transformer, affecting more than 50Restoration of verloading of alternate source(viii) Failure of Power Transformer, of alternate source.Rs. 50 per hour per consumer-(viii) Failure of Power Transformer, of alternate source(viii) Failure of Powe			per consumer
(vi) Problem in grid (33 kV or 66 kV) substation, affecting more than 50 consumers,Restoration of supply from reasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hourRs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from Roster load shedding may be carried out to avoid overloading of alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of power transformerRs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50Roster load shedding may be carried out to avoid overloading of alternate source(vii) Failure of than 50Commission within seventy-two hours and replacement /rectification of power transformer-			-
(33 kV or 66 kV) substation, affecting more than 50 consumers,alternate source, wherever feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from alternate source, wherever feasible within one hourRs. 50 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 50 per hour per consumerReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-		hours	
substation, affecting more than 50 consumers,feasible within one hour Roster load shedding may be carried out to avoid overloading of alternate source.two hours of default thereafter Rs. 100 per hour per consumer(vii) Failure of Power Transformer, affecting more than 50Restoration of supply from teasible within one hourRs. 50 per hour per consumer for first two hours of(viii) Failure of Power Transformer, affecting more than 50Restoration of supply from Roster load shedding may be carried out to avoid overloading to alternate source.Rs. 50 per hour per consumer for first two hours of(viii) Failure of Power Transformer, affecting more than 50Restoration of supply from Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 100 per hour per consumer(viii) Failure of Power Transformer, affecting more than 50Roster load shedding may be carried out to avoid overloading of alternate source.default thereafter per consumer(viii) Failure of Power transformer, to be intimated to the Commission within seventy-two hours and replacement (rectification of power transformer	(vi) Problem in grid	Restoration of supply from	Rs. 50 per hour per
affecting more than 50 consumers,Roster load shedding may be carried out to avoid overloading of alternate source.default thereafter Rs. 100 per hour per consumerRepair and restoration of supply within forty-eight hours(vii) Failure of Power Transformer, affecting more than 50 consumers,Restoration of supply from feasible within one hour Roster load shedding may be default thereafter two hours of default thereafterRoster load shedding may be consumers,Roster load shedding may be default thereafterRoster load shedding may be consumers,Roster load shedding may be of alternate source.Replacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer	(33 kV or 66 kV)	alternate source, wherever	consumer for first
than 50 consumers,carried out to avoid overloading of alternate source.Rs. 100 per hour per consumerRepair and restoration of supply within forty-eight hours(vii) Failure of Power Transformer, affecting moreRestoration of supply from feasible within one hourRs. 50 per hour per consumer for first two hours of default thereafterconsumers,Roster load shedding may be of alternate source.default thereafter per consumerconsumers,Replacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-	substation,	feasible within one hour	two hours of
consumers,of alternate source.per consumerRepair and restoration of supply within forty-eight hours(vii) Failure of Power Transformer, affecting more than 50Restoration of supply from alternate source, wherever feasible within one hourRs. 50 per hour per consumer for first two hours of default thereafter Rs. 100 per hour per consumerconsumers,Roster load shedding may be carried out to avoid overloading of alternate source.Rs. 100 per hour per consumerReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-	affecting more	Roster load shedding may be	default thereafter
Repair and restoration of supply within forty-eight hours(vii) Failure of Power Transformer, affecting more than 50Restoration of supply from alternate source, wherever feasible within one hour two hours of than 50Roster load shedding may be default thereafterconsumers,Carried out to avoid overloading of alternate source.Rs. 100 per hour per consumerReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-	than 50	carried out to avoid overloading	Rs. 100 per hour
within forty-eight hours.Restoration of supply fromRs. 50 per hour per consumer for first(vii) Failure of Power Transformer, affecting moreRestoration of supply from feasible within one hourRs. 50 per hour per consumer for firstaffecting more than 50 consumers,Roster load shedding may be carried out to avoid overloading of alternate source.default thereafter Rs. 100 per hour per consumerReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-	consumers,	of alternate source.	per consumer
(vii) Failure of Power Transformer, affecting more than 50Restoration of supply from alternate source, wherever feasible within one hourRs. 50 per hour per consumer for first two hours of default thereafterconsumers,Roster load shedding may be carried out to avoid overloading of alternate source.default thereafter Rs. 100 per hour per consumerReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-		Repair and restoration of supply	-
Power Transformer, affecting morealternate source, wherever feasible within one hourconsumer for first two hours ofthan 50 consumers,Roster load shedding may be carried out to avoid overloading of alternate source.default thereafter Rs. 100 per hour per consumerReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-		within forty-eight hours.	
Power Transformer, affecting morealternate source, wherever feasible within one hourconsumer for first two hours ofthan 50 consumers,Roster load shedding may be carried out to avoid overloading of alternate source.default thereafter Rs. 100 per hour per consumerReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-			
affecting more than 50feasible within one hourtwo hours of default thereafter Rs. 100 per hour per consumersconsumers,carried out to avoid overloading of alternate source.Rs. 100 per hour per consumerReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-	(vii) Failure of	Restoration of supply from	Rs. 50 per hour per
than 50 consumers, Roster load shedding may be carried out to avoid overloading of alternate source. Replacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer	Power Transformer,	alternate source, wherever	consumer for first
consumers,carried out to avoid overloading of alternate source.Rs. 100 per hour per consumerReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-	affecting more	feasible within one hour	two hours of
of alternate source.per consumerReplacement/rectification action to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer-	than 50	Roster load shedding may be	default thereafter
Replacement/rectification actionto be intimated to theCommission within seventy-twohours and replacement/rectification of power transformer	consumers,	carried out to avoid overloading	Rs. 100 per hour
to be intimated to the Commission within seventy-two hours and replacement /rectification of power transformer		of alternate source.	per consumer
Commission within seventy-two hours and replacement /rectification of power transformer		Replacement/rectification action	-
hours and replacement /rectification of power transformer		to be intimated to the	
/rectification of power transformer		Commission within seventy-two	
		hours and replacement	
		/rectification of power transformer	
within 20 days		within 20 days	

(viii) Scheduled	Shall not exceed 12 hours and the	-
Power Outages	restoration of supply preferably by	
	6:00PM	
(ix)Load Shedding,	Roster load shedding may be	Rs. 50 per hour per
affecting more	carried out to avoid overloading	consumer for first
than 50	of alternate source and the load	two hours of
consumers,	shedding in a particular area shall	default thereafter
	not exceed one hour in a stretch	Rs. 100 per hour
		per consumer
(x) Street light	Rectification within seventy-two	Rs. 50 for each
faults	hours	day of default

7.0 Amendment of Schedule-III of Principal Regulations:

The 'Manner of payment of compensation amount' at the end of table of Schedule-III of the Principal Regulations on 'GUARANTEED STANDARDS OF PERFORMANCE AND COMPENSATION TO CONSUMERS IN CASE OF DEFAULT' shall be substituted as under:

'Procedure for Determination and payment of compensation amount:-

- 1. The Licensee shall register every complaint of a consumer regarding failure of power supply, quality of power supply, meters, bills etc., at the Centralized Complaint Center or Complaint Centers, Commercial Manager and intimate the complaint number to the consumer.
- 2. The Licensee shall maintain consumer-wise records regarding the guaranteed standards of performance in order to give a fair treatment to all consumers and avoid any dispute regarding violation of standards.
- 3. The Distribution Licensee shall provide information to consumers with regard to its offices/ competent authority to settle claims for compensation.
- 4. Any person who is affected by the failure of the Distribution Licensee to meet the standards of performance specified under these Regulations and who seeks to claim compensation shall file his claim, except in case of claims for power supply failure (refer at point no.6 of Schedule –III of these Regulations), with such a Distribution Licensee within a maximum period of sixty (60) days from the time

such a person is affected by such failure of the Distribution Licensee to meet the standards of performance.

- 5. The Distribution Licensee shall compensate the affected person(s) within a maximum period of ninety (90) days from the date of filing his claim. However, the consumer affected due to power supply failure (refer point no.6 of Schedule –III), shall be given suo-moto compensation by the Distribution Licensee within ninety (90) days of failure of the Distribution Licensee to meet the standards of performance.
- 6. The default shall be considered from the time first consumer has made the complaint.
- 7. In case the Distribution Licensee fails to pay the compensation or if the affected person is aggrieved by non-redressal of his grievances, the aggrieved consumer(s) can approach the respective Consumer Grievance Redressal Forum for redressal of grievances to seek such compensation. In case the claim for compensation is upheld by the Consumer Grievances Redressal Forum, or by the Ombudsman (in case of an appeal filed against order of the Forum before him), the compensation shall be determined by the Forum or the Ombudsman at the rate of Rs. 5000/- or five times the compensation payable as per Schedule-III to these Regulations, whichever is higher and is to be paid by the concerned Distribution Licensee.
- 8. All payments of compensation shall be made by way of adjustment against current and/or future bills for supply of electricity, but not later than ninety days from the date of a direction issued by the Forum or by the Ombudsman, as the case may be.
- The amount of compensation paid by the Distribution Licensees shall not be allowed to be recovered in the Aggregate Revenue Requirement (ARR) of the Distribution Licensees.

(Secretary)