



## Delhi Electricity Regulatory Commission

ViniyamakBhavan, C-Block, Shivalik, Malviya Nagar, New Delhi – 110017

F.17(333)/DERC/Engg./2024-25/8165

**In the matter of:** Notification of Laboratory for Testing of Tampered Meter under Delhi Electricity Regulatory Commission (Supply Code and Performance Standards) Regulations, 2017

### Order

(Date of Order: 07-07-25)

In exercise of the powers conferred by Regulation 32(2) and 32(8) of *Delhi Electricity Regulatory Commission (Supply Code and Performance Standards) Regulations, 2017*, the Commission hereby provisionally notifies following NABL accredited Meter Testing Laboratory for testing in case of dispute or on the request of Consumer or suspected tampering of meter.

### 1. NABL accredited Meter Testing Laboratory

Sr. No.	Name of the Laboratories	Contact Person and Address of the Laboratory	NABL Certification Validity Date
1	M/s. Oorja Technical Services*#	Mr. Jayant Sharma Contact No. 91-6264915874  Mr. Kuldeep Gautam Contact No. 91-9770504665  <b>Company's registered address:</b> Plot No. 18, Tirumala Hans Readymade Park, Tigariya Badshah, Indore Industrial Area, MO 452003  Email: pesales@oorjatechnical.com, kuldeepgautam@oorjatechnical.com	Till 23/05/2025
2	M/s. Electronics and Quality Development Centre*#	Mr. Dilip Patel/Mukesh Kumar Kalal  <b>Contact No.</b> 91-9909039131/132/138 ext. 130  <b>Address:</b> Electronics and Quality Development Centre, B-177/178 & B-23/2, Electronics Estate, GIDC, Sector – 25, Gandhinagar – 382024, Gujarat, India  <b>Email:</b> et.test@eqdc.in, projectcoordinator@eqdc.in	Till 28/05/2024
3	M/s. Ceepcalibration and Testing LLP*#	Address: Mr. Kishore Patel 638, GIDC Makarpura, Opposite G.C.E.L, Vadodara – 390010, Gujarat  <b>Phone:</b> +91-8511091080 <b>Email:</b> centexcel16@gmail.com	Till 28/05/2025
4	M/s. Yadav Measurements Private Limited*	Mr. Rameshwar Singh (Manager- Marketing)  <b>Addresses:</b> <b>NOIDA</b> Yadav Measurements Pvt. Ltd. C-7, Sector 3, Noida Gautam Buddha Nagar, Uttar Pradesh – 201301  <b>GURUGRAM</b> Yadav Measurements Pvt. Ltd. 406, 4th Floor, Millennium Plaza, Tower-A, Sushant Lok Phase-I, Sector 43, Gurugram, Haryana – 122022.  <b>Phone:</b> +91-9650394924 <b>Email:</b> rameshwar.sr@yadavmeasurements.com	Till 13/10/2025

Sr. No.	Name of the Laboratories	Contact Person and Address of the Laboratory	NABL Certification Validity Date
5	M/s. Electronics Regional Test Laboratory	Mr. Amit Tyagi <b>Contact No.</b> 91-9911270041  <b>Address:</b> S-Block, Okhla Phase-II, New Delhi – 110020  <b>Email:</b> amit@sqtc.gmail.com	Till 17/03/2026
6	M/s. Delhi Test House*#	Ms. Sonia Chugh  <b>Address:</b> Plot No. 65, Phase-IV, Sector-57, HSIIDC Industrial Area Kundli – 131028, Sonipat, Haryana  <b>Phone:</b> 9810442016, 9811166015, 9810068016  <b>Email:</b> info@delhitesthouse.com, rohit@delhitesthouse.com, ag@delhitesthouse.com	23/05/2025

**\*subject to establishment of meter testing lab in NCT of Delhi within 60 days from date of notification**

**#subject to submission of latest NABL certification within 60 days from date of Notification**

**The empanelment would be effective till date of validity of NABL certification. On the expiry of validity of NABL certification, the lab will again apply for empanelment.**

## **2. Protocol/ Guidelines**

- (1) The Distribution Licensee shall remove the meter from site/consumer's premises and seal it in the presence of the consumer or his representative in a container affixing thereon paper seals which shall be signed by both the parties. The Distribution Licensee shall prepare a seizure memo at the time of removal of meter, duly signed by their representative and consumer, indicating following details:
  - i) C.A. No.
  - ii) Registered Consumer Name
  - iii) Meter No.
  - iv) Meter Type
  - v) Container Seal No.
  - vi) Container no.
  - vii) Date of removal
  - viii) Physical status of the meter/ meter box as applicable
  - ix) Licensee's authorized person details including mobile no. & e-mail.
  - x) Seizure memo no.
  - xi) any other relevant information
- (2) The Distribution Licensee shall send the meter sealed in the container as above along with the seizure memo to the laboratory within 3 (three) days of removal of meter.
- (3) The Distribution Licensee shall fill the Service Request Form, as provided by the laboratories, and deposit the same to the laboratory alongwith the sealed meter.
- (4) The Distribution Licensee shall indicate the specific parameters to be tested.
- (5) The Meter Testing Laboratories on receipt of the meter/ meter in meter box, sealed in the container along with the seizure memo & Service Request Form shall acknowledge the receipt after verifying the following details:

- i) Intact Condition of the Container
  - ii) Intact Condition of Container seal
  - iii) Container Seal No.
- (6) The Distribution Licensee shall schedule a date and time for testing of meter in consultation with Meter Testing Laboratories and shall give prior notice to the consumer as per the provisions of Order dated 31/08/2017 for Schedule of Charges and the procedure under Delhi Electricity Regulatory Commission (Supply Code and Performance Standards) Regulations, 2017 as amended from time to time.
- (7) It shall be the responsibility of the Distribution Licensee to collect the Meter Test Report from Meter Testing Laboratories on the intimated date and provide a copy to the consumer also.
- (8) Any laboratory that has meter manufacturing facility either directly or through a sister concern, shall not conduct testing of meters manufactured by itself or by its sister concern.
- (9) The consumers shall have the right to choose laboratories for meter testing from the list of laboratories empanelled by the Commission. However, this Provision is subject to the restrictions laid down in Point 8.
- (10) All laboratories empanelled by the Commission shall prominently display their applicable rates for meter testing services on their respective websites at all times during the period of their empanelment. Similarly, the DISCOMs shall ensure that the rates of all empanelled laboratories are displayed on their website throughout the empanelment period.
- (11) Both empanelled laboratories and DISCOMs shall update their website promptly in the event of any revision to the approved rates, ensuring that consumers are provided with up-to-date information at all times.

**3. Date of applicability of the Order:**

This Order shall be applicable from the date of its Notification and shall remain in force till revised.

Accordingly, the Order dated 06.12.2021 shall cease to have effect from the date of notification of this Order.



**(Kannan Chinniah)**  
**Executive Director (Tariff)**